

# Lithium Ion Battery Test Summary

T03-00011-AXXX Li-Ion Battery

Document No: T03-00011-AAAA-BCAAA.docx

Edition: 01

Date: 20/12/2019 10:29:00 AM

Author: G Hewitt

## 1 ABSTRACT / INTRODUCTION

Provision of this document is a requirement of ST/SG/AC.10/11/Rev.6/Amend.1 Recommendations on the Transport of Dangerous Goods Manual of Tests and Criteria for the products listed below.

## 2 PRODUCT


T03-00011-AXXX 1880mAh Li-Ion Battery

## 3 REFERENCES

[ST/SG/AC.10/11/Rev.6/Amend.1](#)

United Nations Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria

## 4 TEST SUMMARY

4.1 Battery Cell Manufacturer	Confidential and Proprietary Tait International Ltd Information
4.2 Product Manufacturer	Tait International Limited 245 Wooldridge Road, Harewood, Christchurch 8051, New Zealand Telephone: +64 3 3583399 Email: nz_support@tairadio.com <a href="http://www.tairadio.com">http://www.tairadio.com</a>
4.3 UN38.3 Test Lab	Parkside Laboratories 10 Vanadium Place, P.O. Box 9194, Addington 8243 Christchurch, New Zealand Telephone: +64 3 3391670 <a href="http://www.parksidelabs.co.nz">http://www.parksidelabs.co.nz</a>
4.4 Test Report Number	12678-02
4.5 Date of Test Report	06 August 2007
4.6 Description of Battery	The Tait T03-00011-Axxx Li-Ion Batteries use 2 prismatic Li-Ion cells in a series combination for a nominal battery voltage of 7.2V They have a rated capacity of 1880mAh and weigh 130 grams. The suffix indicates various build options eg badging, belt clip etc.
4.7 UN38.3 Tests Performed and Passed	T.1 - PASS, T.2 - PASS, T.3 - PASS, T.4- PASS, T.5 – PASS, T.7- PASS
4.8 Assembled Battery Testing Requirements	Not Applicable
4.9 Edition of UN Manual of Tests and Criteria Used	ST/SG/AC.10/11/Rev.3/Section UN38.3
4.10 Name and Title of Signatory	Name: Alastair Christie Title: Lead hardware engineer Signature:  Date: 20 / Dec / 2019